

Vortens[®]

ALL PERFORMANCE.
NO PROBLEMS.



WHOLESALE
LINES

THE
PROVEN LEADER

IN FLUSHING PERFORMANCE™





DROUGHT ISN'T FICTION

Neither is the fact that every little bit helps when it comes to doing what we can to conserve the natural resources we've been given.

Vortens® believes the leaders of tomorrow are those willing to give thought to the environment today. Vortens has been manufacturing high-efficiency toilets longer than anyone — doing its part to save the planet through water conservation. It's not by luck we're still here — it's by pure performance.

Vortens manufactures a premier line of Gravity, Pressure Assist and Dual-Flush HET water-saving toilets. Vortens HET toilets outperform competitive brands. In fact, Maximum Performance Testing* of Popular Toilet Models confirms that Vortens toilets are completely dependable and deliver absolute performance. That means no callbacks and no problems for you.

You may be flushing more down the toilet than you think, if you aren't using a Vortens high-efficiency system.

If you want to conserve water, it's time for a little performance... Vortens style.

Save Over
1,500

Gallons of Water a Year
By Replacing a 1.6 gpf
Toilet with a

Vortens 1.28 gpf
High-Efficiency Toilet†



SPARTA ADA HET MODEL 3142-3479

1.28 gpf/4.8 lpf HydroSurge™
2" Flushing System
ADA Compliant
Twin-Fed Siphon Jet Bowl
Extra-Large Footprint
Flushes 800 grams of solids*



SPARTA EL HET MODEL 3141-3479

1.28 gpf/4.8 lpf
HydroSurge™
2" Flushing System
Twin-Fed Siphon
Jet Bowl
Extra-Large Footprint
Flushes 800 grams
of solids*



MURANO ADA HET MODEL 3140-3425

1.28 gpf/4.8 lpf
HydroSurge™
3" Flushing System
ADA Compliant
Extra-Large Footprint
Flushes 600 grams
of solids**



MURANO EL HET MODEL 3147-3425

1.28 gpf/4.8 lpf
HydroSurge™
3" Flushing System
Flushes 500 grams
of solids**



SPARTA RF HET MODEL 3215-3479

1.28 gpf/4.8 lpf
HydroSurge™
2" Flushing System
Twin-Fed Siphon
Jet Bowl
Extra-Large Footprint
Flushes 800 grams
of solids*



MURANO RF HET MODEL 3219-3425

1.28 gpf/4.8 lpf
HydroSurge™
3" Flushing System
Flushes 500 grams
of solids**



Vortens' 1.28 gpf High-Efficiency Toilets consume 20% less water than 1.6 gpf models. Our HydroSurge™ system flushes up to 1,000 grams of waste... nearly triple the amount required by HET standard.

† www.epa.gov/watersense

* According to Veritec Labs 2010 Maximum Performance Testing of Popular Toilet Models (MaP) "Test to Failure" Load Test.

THE PROVEN LEADER

IN FLUSHING PERFORMANCE™

AN INDUSTRY-
LEADING
1.28
GALLONS
PER FLUSH



HURRICANE ADA HET
MODEL 3140-3473

1.28 gpf/4.8 lpf HydroSurge™
3" Flushing System
ADA Compliant
Extra-Large Footprint
Flushes 1,000 grams of solids*



LORETTO ADA HET
MODEL 3140-3475

1.28 gpf/4.8 lpf HydroSurge™
3" Flushing System
ADA Compliant
Extra-Large Footprint
Right-Hand Flush
Tank 3477-V
Flushes 1,000 grams of solids*



HURRICANE EL HET
MODEL 3137-3473

1.28 gpf/4.8 lpf HydroSurge™
3" Flushing System
Extra-Large Footprint
Flushes 800 grams of solids*



LORETTO EL HET
MODEL 3137-3475

1.28 gpf/4.8 lpf HydroSurge™
3" Flushing System
Extra-Large Footprint
Right-Hand Flush
Tank 3477-V
Flushes 800 grams of solids*



HURRICANE RF HET
MODEL 3213-3473

1.28 gpf/4.8 lpf HydroSurge™
3" Flushing System
Extra-Large Footprint
Flushes 600 grams of solids*



LORETTO RF HET
MODEL 3213-3475

1.28 gpf/4.8 lpf HydroSurge™
3" Flushing System
Extra-Large Footprint
Right-Hand Flush
Tank 3477-V
Flushes 800 grams of solids*



TORNADO PRESSURE-ASSIST TOILETS



TORNADO ADA HET
MODEL 3134-3471

1.28 gpf/4.8 lpf
ADA Compliant
Right-Hand Flush
Tank 3478-V
Flushes 1,000 grams of solids*



TORNADO EL HET
MODEL 3138-3471

1.28 gpf/4.8 lpf
Right-Hand Flush
Tank 3478-V
Flushes 700 grams of solids*



Vortens' Pressure-Assist Toilets
are ultraquiet and flush up to
1,000 grams of solids.

** According to Lamosa Lab Maximum Performance Testing "Test to Failure" Load Test.

DUALFLUSH

RHODAS ADA DF MODEL 3123-3438


1.6 gpf/6.0 lpf and 1.1 gpf/4.0 lpf
Dual-Flush System

Push-button on Lid

ADA Compliant

Extra-Large Footprint

Flushes 1,000 grams of solids*



3438

With the two-button Dual-Flush System control you can select a powerful, efficient 1.6 gpf/6.0 lpf flush for solid waste or a 1.1 gpf/4.0 lpf for liquid waste.



RHODAS ADA DF MODEL 3123-3436

1.6 gpf/6.0 lpf and 1.1 gpf/4.0 lpf
Dual-Flush System

ADA Compliant

Extra-Large Footprint

Flushes 1,000 grams of solids*



3436

Our Dual-Flush System makes controlling the amount of water per flush easy. Simply move the flush lever forward for a more powerful and efficient 1.6 gpf/6.0 lpf flush for solid waste or backward for a 1.1 gpf/4.0 lpf flush for liquid waste (same as a urinal).



DELLOS EL DF MODEL 3130

1.6 gpf/6.0 lpf and 1.1 gpf/4.0 lpf
Dual-Flush System

Flushes 600 grams of solids**



VIENNA RF DF MODEL 3208-3436

1.6 gpf/6.0 lpf and 1.1 gpf/4.0 lpf
Dual-Flush System

Also Available:

3438-V Push-Button on Lid Tank

Flushes 600 grams of solids*



VIENNA EL DF MODEL 3113-3436

1.6 gpf/6.0 lpf and 1.1 gpf/4.0 lpf
Dual-Flush System

Also Available:

3438-V Push-Button on Lid Tank

Flushes 600 grams of solids*



Our Dual-Flush gravity system costs less up front and saves up to 31% in water consumption, without sacrificing performance.

Powerful & Efficient PERFORMANCE

1.6 gpf/6.0 lpf TOILETS



**VIENNA PLUS ADA
MODEL 3123-3412**

Elongated
Extra-Large Footprint
10" Rough-In Tank 3430-V
14" Rough-In Tank 3431-V
Right-Hand Flush 3432-V
Flushes 1,000 grams of solids**



**VIENNA PLUS RF
MODEL 3208-3412**

Round Front
Large Footprint Bowl 3209-V
10" Rough-In Tank 3430-V
14" Rough-In Tank 3431-V
Right-Hand Flush 3432-V
Flushes 600 grams of solids**



**VIENNA PLUS EL
MODEL 3113-3412**

Elongated
10" Rough-In Tank 3430-V
14" Rough-In Tank 3431-V
Right-Hand Flush 3432-V
Flushes 800 grams of solids**

**PALERMO EL
MODEL 3126**

Elongated
Slow Close Toilet Seat Included
Skirted Bowl with Concealed Trap
for Easy Cleaning
Flushes 600 grams of solids**



With 3-inch flush valves and a redesigned trapway, the **Forza** innovative gravity toilets generate greater head pressure and double the flushing power... enough to flush 2.2 pounds of solid waste with just 1.6 gallons of water.

FORZA 3" FLUSH VALVE TOILETS



**FORZA ADA
MODEL 3140-3469**

ADA Compliant
3" Flush Valve
Extra-Large Footprint
Right-Hand Flush
Tank 3476-V
Flushes 1,000 grams
of solids**



**FORZA EL
MODEL 3137-3469**

3" Flush Valve
Extra-Large Footprint
Right-Hand Flush
Tank 3476-V
Flushes 1,000 grams
of solids**



**FORZA RF
MODEL 3213-3469**

3" Flush Valve
Extra-Large Footprint
Right-Hand Flush
Tank 3476-V
Flushes 1,000 grams
of solids**

Vortens' 1.6 gpf/6.0 lpf toilets feature an innovative and exclusive hydraulic design that makes them among the best flushing toilets available.

** According to Lamosa Lab Maximum Performance Testing "Test to Failure" Load Test.

LAVATORIES PEDESTAL AND UNDER-COUNTER



**HOLIDAY
MODEL 3529**

Hidden Front Overflow
Basin 3529-V
19" x 16" Oval



**TOSCANA
MODEL 3370**

Hidden Front Overflow
23-3/8" x 15-1/2"



**EMILIA
MODEL 3369**

Hidden Front Overflow
18-1/2" x 13-2/3"



**TRIPOLI
MODEL 3368**

Hidden Front Overflow
21" x 13-1/2"



**MOLISSE
MODEL 3549-3510**

Hidden Front Overflow
25" x 19-5/8" Basin
x 33" High

**MOLISSE/SENNA
MODEL 3549-3516**



**VIENNA
MODEL 3321-3510**

Hidden Front Overflow
20" x 17" Basin
x 34" High

**VIENNA/SENNA
MODEL 3321-3516**



**SENNA
MODEL 3539-3516**

Hidden Front Overflow
23" x 18" Basin
x 33" High

**SENNA/VIENNA
MODEL 3539-3510**



**VELEZZA
MODEL 3553-3518**

Hidden Front Overflow
Part of the Velezza Suite
28" x 20" Basin
x 34" High



**VENEZIA
MODEL 3521**

Hidden Front Overflow
4" Basin 3521-V
8" Basin 3525-V
Single Hole Basin
3523-V
20" x 17" Oval



**FIRENZE
MODEL 3526**

Hidden Front Overflow
4" Basin 3526-V
8" Basin 3528-V
Single Hole Basin
3527-V
19" Round

DROP-IN LAVATORIES

COMMERCIAL FIXTURES



**VERONA ADA HEU
MODEL 3621**

Wash Out
High-Efficiency Urinal
Ultra Low Consumption
1 Pint 0.125 gpf/0.5 lpf or
0.5 gpf/1.9 lpf
Can be Used with
1.0 gpf/3.8 lpf
3/4" Brass Top Spud
2" Brass Outlet
ADA Compliant



**AUSTRAL ADA HEU
MODEL 3601**

Wash Out
High-Efficiency
Urinal
0.125 gpf/0.5 lpf or
0.5 gpf/1.9 lpf
3/4" Brass Top Spud
2" Brass Outlet
ADA Compliant



**KYOTO ADA
MODEL 3630**

Wash Out Urinal
1.0 gpf/3.8 lpf
3/4" Brass Top Spud
2" Bottom Spud
ADA Compliant



**DERBY
MODEL 3640**

Wash Out
High-Efficiency
Urinal
0.125 gpf/0.5 lpf or
0.5 gpf/1.9 lpf
3/4" Brass Top Spud
2" Brass Outlet
Hidden Trap



**VIENNA ADA FLUX
MODEL 3114**

Top Spud Elongated
ADA Bowl
High-Efficiency Toilet (HET)
with Powerful 1.28 gpf/4.8 lpf
Can be Used with
1.6 gpf/6.0 lpf Flush Valve
1-1/2" Brass Top Spud
ADA Compliant
Flushes 1,000 grams
of solids*



**VIENNA EL FLUX
MODEL 3115**

Top Spud Elongated Bowl
High-Efficiency Toilet (HET)
with Powerful 1.28 gpf/4.8 lpf
Can be Used with
1.6 gpf/6.0 lpf Flush Valve
1-1/2" Brass Top Spud
Flushes 1,000 grams
of solids*



**ATENAS HET ADA EL
MODEL 3108**

Wall-Mounted, Back-Outlet
Elongated Bowl
High-Efficiency Toilet (HET)
with Powerful 1.28 gpf/4.8 lpf
Can be Used with
1.6 gpf/6.0 lpf Flush Valve
1-1/2" Brass Top Spud
ADA Compliant
Flushes 1,000 grams
of solids*



**MILAN ADA
MODEL 3358**

20-3/4" x 18-1/4"
Splash-Back Lavatory
Drilled for C.I.
Wall Carrier
ADA Compliant




**TURIN ADA
MODEL 3355**

22" x 18"
Splash-Back Lavatory
Drilled for C.I.
Wall Carrier
ADA Compliant



WALL HUNG LAVATORIES



U.S. CUSTOMER SERVICE
Toll Free: 866-821-2811
customerservice@vortens.com
ussales@vortens.com
www.vortens.com

CANADIAN CUSTOMER SERVICE
Toll Free: 866-363-1365
canadiansales@vortens.com
www.vortens.com

